



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 3.00 (replaces version 2.00)

Revision: 05.02.2024

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Potassium permanganate, cryst.
- **Article number:** 2344
- **CAS Number:**
7722-64-7
- **EC number:**
231-760-3
- **Index number:**
025-002-00-9
- **Registration number** The substance is exempt from REACH-registration.
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** Ingredient for pharmaceutical drugs
- **Uses advised against** No relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
CAELO
Caesar & Loretz GmbH
Herderstr. 31
D-40721 Hilden
GERMANY
- **Further information obtainable from:**
E-mail: info@caelo.de
Tel.: +49210349940 (during regular opening hours)
- **Emergency telephone number:**
Poison Information Center Bonn
Venusberg-Campus 1, 53127 Bonn
Tel: +49 (0) 228-192400

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Ox. Sol. 2 H272 May intensify fire; oxidiser.
Acute Tox. 4 H302 Harmful if swallowed.
Repr. 2 H361d Suspected of damaging the unborn child.
Aquatic Acute 1 H400 Very toxic to aquatic life.
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 3.00 (replaces version 2.00)

Revision: 05.02.2024

Trade name: Potassium permanganate, cryst.

(Contd. of page 1)

Hazard pictograms

GHS03



GHS07



GHS08



GHS09

Signal word Danger**Hazard statements**

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H361d Suspected of damaging the unborn child.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 Keep away from clothing and other combustible materials.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Determination of endocrine-disrupting properties** Not applicable.

3 Composition/information on ingredients

Substances**CAS No. Description**

CAS: 7722-64-7 potassium permanganate

Identification number(s)**EC number:** 231-760-3**Index number:** 025-002-00-9

4 First aid measures

Description of first aid measures**General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: Supply fresh air; consult doctor in case of complaints.**After skin contact:** Generally the product does not irritate the skin.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 3.00 (replaces version 2.00)

Revision: 05.02.2024

Trade name: Potassium permanganate, cryst.

(Contd. of page 2)

- **After eye contact:** Rinse opened eye for several minutes under running water.
 - **After swallowing:** Call for a doctor immediately.
 - **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.
-

5 Firefighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
 - **Special hazards arising from the substance or mixture** No further relevant information available.
 - **Advice for firefighters**
 - **Protective equipment:** In case of fire wear suitable protective clothes and respiratory protection.
 - **Additional information**
Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.
-

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
 - **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
 - **Methods and material for containment and cleaning up:** Pick up mechanically.
 - **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
-

7 Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
 - **Information about fire - and explosion protection:** No special measures required.
 - **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
Tightly closed. Store at a dry place. At room temperature (+15°C to +25°C).
 - **Information about storage in one common storage facility:** Store away from flammable substances.
 - **Further information about storage conditions:** Keep away from ignition sources.
 - **Storage class:** TRHS 510: 5.1 A Highly oxidising substances
 - **Specific end use(s)** No further relevant information available.
-

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 3.00 (replaces version 2.00)

Revision: 05.02.2024

Trade name: Potassium permanganate, cryst.

(Contd. of page 3)

* 8 Exposure controls/personal protection

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
 - CAS: 7722-64-7 potassium permanganate**
 - OEL Long-term value: 0.2* 0.05** mg/m³
as Mn; IOELV; *inhalable **respirable
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:**
 - Dust protection mask.
 - Dust protection mask required if dust is released.
- **Hand protection** Protective gloves
- **Material of gloves**
 - Rubber gloves
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Not required.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Solid
- **Colour:** Violet
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** 240 °C
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Product is not flammable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** Not applicable.
- **Decomposition temperature:** Not determined.
- **pH (20 g/l) at 20 °C** 7–9
- **Viscosity:**
- **Kinematic viscosity** Not applicable.
- **Dynamic:** Not applicable.

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 3.00 (replaces version 2.00)

Revision: 05.02.2024

Trade name: Potassium permanganate, cryst.

(Contd. of page 4)

· Solubility	
· water at 20 °C:	64.3 g/l
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	0 hPa
· Density and/or relative density	
· Density at 20 °C:	2.703 g/cm ³
· Relative density	Not determined.
· Bulk density:	1,300–1,600 kg/m ³
· Vapour density	Not applicable.
· Particle characteristics	Not determined
· Other information	
· Appearance:	
· Form:	Crystalline
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	
· Explosives	Void Void
· Flammable gases	Void Void
· Aerosols	Void Void
· Oxidising gases	Void Void
· Gases under pressure	Void Void
· Flammable liquids	Void Void
· Flammable solids	Void Void
· Self-reactive substances and mixtures	Void Void
· Pyrophoric liquids	Void Void
· Pyrophoric solids	Void Void
· Self-heating substances and mixtures	Void Void
· Substances and mixtures, which emit flammable gases in contact with water	Void Void

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 3.00 (replaces version 2.00)

Revision: 05.02.2024

Trade name: Potassium permanganate, cryst.

(Contd. of page 5)

· Oxidising liquids	Void Void
· Oxidising solids	May intensify fire; oxidiser. Void
· Organic peroxides	Void Void
· Corrosive to metals	Void Void
· Desensitised explosives	Void Void

10 Stability and reactivity

- **Reactivity** No further relevant information available.
 - **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
 - **Possibility of hazardous reactions** No dangerous reactions known.
 - **Conditions to avoid** No further relevant information available.
 - **Incompatible materials:** No further relevant information available.
 - **Hazardous decomposition products:** No dangerous decomposition products known.
-

11 Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.
- **LD/LC50 values relevant for classification:**
Oral LD50 2,000 mg/kg (rat)
Dermal LD50 2,000 mg/kg (rat)
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Suspected of damaging the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Information on other hazards**
- **Endocrine disrupting properties**
On the basis of the available data, the substance does not meet the criteria for the identification of substances having properties of interference with the endocrine system, in accordance with Article 59, paragraph 1 of the REACH Regulation and the criteria established in the Delegated Regulation (EU) 2017 / 2100 of the Commission or in Commission Regulation (EU) 2018/605.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 3.00 (replaces version 2.00)

Revision: 05.02.2024

Trade name: Potassium permanganate, cryst.

(Contd. of page 6)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:**
 - LC50 0.47 mg/L (Fish)
 - EC50 0.43 mg/L (Algae)
 - 0.06 mg/L (invertebrates)
 - 164 mg/L (Microorganism)
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Endocrine disrupting properties**

Based on the available data, the substance does not meet the criteria for the identification of substances with properties affecting the endocrine system according to Article 59(1) of the REACH Regulation and the criteria of the Commission Delegated Regulation (EU) 2017/2100 or in the Commission Regulation (EU) 2018/605.

The product does not contain substances with endocrine disrupting properties.
- **Other adverse effects**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to local regulations.

14 Transport information

- **UN number or ID number**
- **ADR, IMDG, IATA** UN1490
- **UN proper shipping name**
- **ADR** 1490 POTASSIUM PERMANGANATE,
ENVIRONMENTALLY HAZARDOUS
POTASSIUM PERMANGANATE, MARINE POLLUTANT
- **IMDG** Potassium permanganate
- **IATA**

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 3.00 (replaces version 2.00)

Revision: 05.02.2024

Trade name: Potassium permanganate, cryst.

(Contd. of page 7)

· Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	5.1 Oxidising substances.
· Label	5.1
· Packing group	
· ADR, IMDG, IATA	II
· Environmental hazards:	Environmentally hazardous substance, solid; Marine Pollutant
· Marine pollutant:	Yes (P) Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special precautions for user	Warning: Oxidising substances.
· Hazard identification number (Kemler code):	50
· EMS Number:	F-H,S-Q
· Segregation groups	SGG14 - Permanganates
· Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1 kg
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1 kg
· UN "Model Regulation":	UN 1490 POTASSIUM PERMANGANATE, 5.1, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)** Not listed
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Not listed
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
Substance is not listed.
- **National regulations:**
- **Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany)**
TRHS 510: 5.1 A Highly oxidising substances
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

- The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.
- **Reasons for alterations** This version replaces all old versions.
 - **Date of previous version:** 05.02.2024

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 3.00 (replaces version 2.00)

Revision: 05.02.2024

Trade name: Potassium permanganate, cryst.

(Contd. of page 8)

- **Version number of previous version:** 2.00

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

P: Marine Pollutant

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Repr. 2: Reproductive toxicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

- *** Data compared to the previous version altered.**
