

Page 1/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 1.00 Revision: 29.09.2025

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: benzyl alcohol

· Article number: 7056

· CAS Number:

100-51-6

· EC number:

202-859-9

· Index number:

603-057-00-5

- · **Registration number** The substance is exempt from REACH-registration.
- Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Ingredient for pharmaceutical drugs
- · Uses advised against No relevant information available.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

CAELO

Caesar & Loretz GmbH

Herderstr. 31

D-40721 Hilden

GERMANY

· Further information obtainable from:

E-mail: info@caelo.de

Tel.: +49210349940 (during regular opening hours)

Emergency telephone number:
Poison Information Center Bonn

Venusberg-Campus 1, 53127 Bonn Tel: +49 (0) 228-192400

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1B H317 May cause an allergic skin reaction.

- · Label elements
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Page 2/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 1.00 Revision: 29.09.2025

Trade name: benzyl alcohol

(Contd. of page 1)

· Hazard pictograms



· Signal word Warning

· Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P280 Wear protective gloves / protective clothing.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

3 Composition/information on ingredients

- · Substances
- · CAS No. Description

CAS: 100-51-6 benzyl alcohol

- Identification number(s)
- **EC number:** 202-859-9
- · Index number: 603-057-00-5
- · Acute toxicity estimate (ATE) values LD50 oral: 1,200 mg/kg

4 First aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Bring the person out of the contaminated area to fresh air.

(Contd. on page 3)



Page 3/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 1.00 Revision: 29.09.2025

Trade name: benzyl alcohol

(Contd. of page 2)

Call a doctor immediately.

Show product-label or this MSDS.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

All regular extinguishing media can be used.

Use fire extinguishing methods suitable to surrounding conditions.

- · Special hazards arising from the substance or mixture Can form explosive gas-air mixtures.
- Advice for firefighters
- · Protective equipment: In case of fire wear suitable protective clothes and respiratory protection.
- **Additional information**

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with the substance.

Do not inhale vapours.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Provide eye rinsing kit.

- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Tightly closed.

Store in a cool location.

2-8°C

(Contd. on page 4)



Page 4/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 1.00 Revision: 29.09.2025

Trade name: benzyl alcohol

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store receptacle in a well ventilated area.
- · Storage class: TRGS 510: 12 Non-combustible solids
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Required if vapours are generated.
- Hand protection Protective gloves
- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber/nitrile latex.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Rubber gloves

PVC gloves

· Eve/face protection Safety glasses

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state Liquid Colourless · Colour: · Odour: Aromatic · Odour threshold: Not determined.

Melting point/freezing point: -15.4 °C

· Boiling point or initial boiling point and boiling

range 205.3 °C · Flammability Not applicable.

· Lower and upper explosion limit

1.3 Vol % · Lower: · Upper: 13 Vol % · Flash point: 100.4 °C **Auto-ignition temperature:** 436 °C

(Contd. on page 5)



Page 5/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 1.00 Revision: 29.09.2025

Trade name: benzyl alcohol

(Contd. of page 4)

· Decomposition temperature: Not determined. Hq· Not determined.

· Viscosity:

· Kinematic viscosity Not determined. Not determined. · Dynamic:

· Solubility

· water at 20 °C: 40 g/l

· Partition coefficient n-octanol/water (log value) Not determined. 0.07 hPa · Vapour pressure at 20 °C:

Density and/or relative density

· Density at 20 °C: 1.04 g/cm³ · Relative density Not determined. · Vapour density Not determined.

· Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

· Ignition temperature: Not determined.

Explosive properties: Product does not present an explosion hazard.

Void

· Change in condition

Not determined. Evaporation rate

Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Void · Pyrophoric solids · Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void Void · Oxidising solids Organic peroxides Void Corrosive to metals Void

10 Stability and reactivity

Desensitised explosives

· Reactivity No further relevant information available.

(Contd. on page 6)



Page 6/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 1.00 Revision: 29.09.2025

Trade name: benzyl alcohol

(Contd. of page 5)

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Oxidizing agent conc. sulfuric acid

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed or in contact with skin.
- · LD/LC50 values relevant for classification:

Oral LD50 1,620 mg/kg (rat)

Dermal LD50 2,000 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on other hazards
- Endocrine disrupting properties

On the basis of the available data, the substance does not meet the criteria for the identification of substances having properties of interference with the endocrine system, in accordance with Article 59, paragraph 1 of the REACH Regulation and the criteria established in the Delegated Regulation (EU) 2017 / 2100 of the Commission or in Commission Regulation (EU) 2018/605.

12 Ecological information

- · Toxicity
- Aquatic toxicity:

EC50 770 mg/L (algae)

390 mg/L (Microorganism)

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

Based on the available data, the substance does not meet the criteria for the identification of substances with properties affecting the endocrine system according to Article 59(1) of the REACH Regulation and the

(Contd. on page 7)



Page 7/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 1.00 Revision: 29.09.2025

Trade name: benzyl alcohol

(Contd. of page 6)

criteria of the Commission Delegated Regulation (EU) 2017/2100 or in the Commission Regulation (EU) 2018/605.

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to local regulations.

*14 Transport information

· UN number or ID number Not subject to transport regulations.

· ADR, IMDG, IATA not regulated

· UN proper shipping name

· ADR not regulated · IMDG, IATA not regulated

· Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class not regulated

· Packing group

ADR, IMDG, IATA not regulated
 Environmental hazards: Not applicable.
 Special precautions for user Not applicable.

· Maritime transport in bulk according to IMO

instruments Not applicable.
UN "Model Regulation": not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 75
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

Substance is not listed.

- · National regulations:
- · Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany)

TRGS 510: 12 Non-combustible solids

(Contd. on page 8)



Page 8/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 1.00 Revision: 29.09.2025

Trade name: benzyl alcohol

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- · Reasons for alterations This version replaces all old versions.
- Date of previous version: 29.09.2025
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1B: Skin sensitisation – Category 1B

* Data compared to the previous version altered.

IE -