

Page 1/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 3.00 (replaces version 2.00) Revision: 29.09.2025

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Ethanol 90 % (V/V), versteuert
- · Article number: 7230
- **Registration number** The substance is exempt from REACH-registration.
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Ingredient for pharmaceutical drugs
- · Uses advised against No relevant information available.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

CAELO

Caesar & Loretz GmbH Herderstr. 31 D-40721 Hilden GERMANY

· Further information obtainable from:

E-mail: info@caelo.de

Tel.: +49210349940 (during regular opening hours)

Emergency telephone number:

Poison Information Center Bonn Venusberg-Campus 1, 53127 Bonn

Tel: +49 (0) 228-192400

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

- · Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02

- Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

(Contd. on page 2)



Page 2/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 3.00 (replaces version 2.00) Revision: 29.09.2025

Trade name: Ethanol 90 % (V/V), versteuert

P103	(Contd. of page 1) Read carefully and follow all instructions.
F 103	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

3 Composition/information on ingredients

- · Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 64-17-5 ethanol 90.0%

EINECS: 200-578-6 Flam. Liq. 2, H225

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Take off contaminated clothes and shoes, wash immediately with plenty of water and soap.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents:

All regular extinguishing media can be used.

Use fire extinguishing methods suitable to surrounding conditions.

· Special hazards arising from the substance or mixture

Combustible. Vapors are heavier than air and spread on the ground. Ignition possible over distance.

(Contd. on page 3)



Page 3/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 3.00 (replaces version 2.00) Revision: 29.09.2025

Trade name: Ethanol 90 % (V/V), versteuert

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: In case of fire wear suitable protective clothes and respiratory protection.
- Additional information

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not together with flammable substances.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

- · Storage class: TRHS 510: 3 Flammable liquid
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethanol

OEL Short-term value: 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

(Contd. on page 4)



Page 4/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 3.00 (replaces version 2.00) Revision: 29.09.2025

Trade name: Ethanol 90 % (V/V), versteuert

(Contd. of page 3)

Wash hands before breaks and at the end of work.

- · Respiratory protection: Respiratory with filter.
- · Hand protection Protective gloves
- Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:

Liquid

Colourless
Alcohol-like
Not determined.

· Melting point/freezing point: -114 °C

 \cdot Boiling point or initial boiling point and boiling

range 78 °C (CAS: 64-17-5 ethanol)

· Flammability Not applicable.

· Lower and upper explosion limit

 Lower:
 3.5 Vol % (CAS: 64-17-5 ethanol)

 Upper:
 15 Vol % (CAS: 64-17-5 ethanol)

· Flash point: 17 °C

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

• Vapour pressure at 20 °C: 40 hPa

· Density and/or relative density

Density at 20 °C: 0.811 g/cm³
 Relative density Not determined.
 Bulk density: 811 kg/m³
 Vapour density Not determined.

· Other information

· Appearance:

· Form: Fluid

(Contd. on page 5)



Page 5/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 3.00 (replaces version 2.00) Revision: 29.09.2025

Trade name: Ethanol 90 % (V/V), versteuert

(Contd. of page 4)

· Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

Organic solvents: 90.0 %
 ⋅ Water: 10.0 %
 ⋅ VOC (EC) 90.00 %
 ⋅ Solids content: 0.0 %

· Change in condition

• Evaporation rate Not determined.

 \cdot Information with regard to physical hazard

classes

ExplosivesVoidFlammable gasesVoid

Void

• Aerosols

Void

Void
Oxidising gases
Void
Void
Void
Void
Void

· Gases under pressure Void Void

· Flammable liquids Highly flammable liquid and vapour.

Void Void

· Flammable solids

Void

Self-reactive substances and mixtures

Void

Void

Void

Pyrophoric liquids
 Pyrophoric solids
 Void
 Void
 Void
 Void

· Self-heating substances and mixtures Void Void Void

· Substances and mixtures, which emit flammable

gases in contact with water Void

Void
Oxidising liquids
Void
Void

· Oxidising solids Void Void

· Organic peroxides Void Void

· Corrosive to metals Void Void

(Contd. on page 6)



Page 6/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 3.00 (replaces version 2.00) Revision: 29.09.2025

Trade name: Ethanol 90 % (V/V), versteuert

(Contd. of page 5)

· Desensitised explosives

Void Void

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions

Reacts with oxidising agents.

Reacts with strong acids.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

CAS: 64-17-5 ethanol

Oral LD50 7,060 mg/kg (rat)

Inhalative LC50 20,000 mg/m3 (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Information on other hazards
- · Endocrine disrupting properties

On the basis of the available data, the substance does not meet the criteria for the identification of substances having properties of interference with the endocrine system, in accordance with Article 59, paragraph 1 of the REACH Regulation and the criteria established in the Delegated Regulation (EU) 2017 / 2100 of the Commission or in Commission Regulation (EU) 2018/605.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 64-17-5 ethanol

LC50 14,200 mg/L (Fish)

(Contd. on page 7)



Page 7/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 3.00 (replaces version 2.00) Revision: 29.09.2025

Trade name: Ethanol 90 % (V/V), versteuert

(Contd. of page 6)

EC50 275 mg/L (algae)

5,000 mg/L (invertebrates) 5.800 mg/L (Microorganism)

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- **Endocrine disrupting properties**

Based on the available data, the substance does not meet the criteria for the identification of substances with properties affecting the endocrine system according to Article 59(1) of the REACH Regulation and the criteria of the Commission Delegated Regulation (EU) 2017/2100 or in the Commission Regulation (EU) 2018/605.

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to local regulations.

14 Transport information

· UN number or ID number

· ADR, IMDG, IATA UN1170

UN proper shipping name

· **ADR** 1170 ETHANOL SOLUTION (ETHYL ALCOHOL

SOLUTION)

· IMDG ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

· IATA Ethanol solution

· Transport hazard class(es)

· ADR, IMDG, IATA

• Class 3 Flammable liquids.

· Label 3

· Packing group

· ADR, IMDG, IATA

· Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids.

(Contd. on page 8)



Page 8/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.09.2025 Version number 3.00 (replaces version 2.00) Revision: 29.09.2025

Trade name: Ethanol 90 % (V/V), versteuert

(Contd. of page 7)

· Hazard identification number (Kemler code): 33

EMS Number: F-E,S-D

Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)
 Transport category
 Tunnel restriction code

· IMDG

· Limited quantities (LQ)

UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL

SOLUTION), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations:
- · Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany)

TRHS 510: 3 Flammable liquid

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- · Reasons for alterations This version replaces all old versions.
- · Relevant phrases

H225 Highly flammable liquid and vapour.

Version number of previous version: 2.00

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

MAL-Code: Måleteknisk Arbejdshygjejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2