

Page 1/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025 Version number 1.00 Revision: 02.05.2025

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Isopropanol 70 Biozid Händedesinfektion Caelo HV
- · Article number: 7843
- **Registration number** The substance is exempt from REACH-registration.
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture

Biocide

Hand disinfactant

- · Uses advised against No relevant information available.
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

**CAELO** 

Caesar & Loretz GmbH

Herderstr. 31

D-40721 Hilden

**GERMANY** 

### · Further information obtainable from:

E-mail: info@caelo.de

Tel.: +49210349940 (during regular opening hours)

Emergency telephone number:

Poison Information Center Bonn Venusberg-Campus 1, 53127 Bonn

Tel: +49 (0) 228-192400

### 2 Hazards identification

- Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Danger

(Contd. on page 2)



Page 2/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025 Version number 1.00 Revision: 02.05.2025

### Trade name: Isopropanol 70 Biozid Händedesinfektion Caelo HV

(Contd. of page 1)

## · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

vPvB: Not applicable.

· Determination of endocrine-disrupting properties Not applicable.

## 3 Composition/information on ingredients

- · Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 67-63-0 propan-2-ol 60–70%

EINECS: 200-661-7 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Bring the person out of the contaminated area to fresh air.

Call a doctor immediately.

· After skin contact:

Take off contaminated clothes and shoes, wash immediately with plenty of water and soap.

· After eye contact:

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025 Version number 1.00 Revision: 02.05.2025

Trade name: Isopropanol 70 Biozid Händedesinfektion Caelo HV

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Firefighting measures**

- **Extinguishing media**
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Combustible. Vapors are heavier than air and spread on the ground. Ignition possible over distance. In case of fire carbon monoxide can be released.

- Advice for firefighters
- Protective equipment: In case of fire wear suitable protective clothes and respiratory protection.
- **Additional information**

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not together with flammable substances.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

- · Storage class: TRHS 510: 3 Flammable liquid
- · Specific end use(s) No further relevant information available.

(Contd. on page 4)



Page 4/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025 Version number 1.00 Revision: 02.05.2025

Trade name: Isopropanol 70 Biozid Händedesinfektion Caelo HV

(Contd. of page 3)

## 8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

OEL Short-term value: 400 ppm Long-term value: 200 ppm

Skir

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Respiratory with filter.
- Hand protection Protective gloves
- Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

Physical state
 Colour:
 Odour:
 Odour threshold:
 Molting point/freezing point:

• Melting point/freezing point: -89.5 °C

Boiling point or initial boiling point and boiling

range 82 °C

· Flammability Not applicable.

Lower and upper explosion limit

• **Lower:** 2 Vol % • **Upper:** 12 Vol %

• Flash point: 12 °C (CAS: 67-63-0 propan-2-ol)

· Auto-ignition temperature: 425 °C

Decomposition temperature: Not determined.pH Not determined.

(Contd. on page 5)



Page 5/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025 Version number 1.00 Revision: 02.05.2025

Trade name: Isopropanol 70 Biozid Händedesinfektion Caelo HV

(Contd. of page 4)

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

• water: Fully miscible. • Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 43 hPa

Density and/or relative density

Density at 20 °C: 0.7855 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

 $\cdot \ \, \text{Other information}$ 

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

• Organic solvents: 60–70 % • VOC (EC) 60–70 %

Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard

classes

Explosives Void
Void
Flammable gases Void

· Flammable gases Void Void

· **Aerosols** Void Void

Oxidising gasesVoidGases under pressureVoid

· Flammable liquids Highly flammable liquid and vapour.

Void

Void

· Flammable solids Void

Void Void

Self-reactive substances and mixtures

Void Void

Pyrophoric liquidsVoidPyrophoric solidsVoid

Void Void

(Contd. on page 6)



Page 6/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025 Version number 1.00 Revision: 02.05.2025

Trade name: Isopropanol 70 Biozid Händedesinfektion Caelo HV

(Contd. of page 5)

Self-heating substances and mixtures
 Substances and mixtures, which emit flammable gases in contact with water
 Oxidising liquids
 Void Void
 Void Void

Void
Oxidising solids
Void
Void
Organic peroxides
Void

· Organic peroxides Void Void · Corrosive to metals Void Void

· Desensitised explosives Void Void

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions

Reacts with oxidising agents.

Reacts with strong acids.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 64-17-5 ethanol

Oral LD50 7,060 mg/kg (rat) Inhalative LC50 20,000 mg/m3 (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025 Version number 1.00 Revision: 02.05.2025

Trade name: Isopropanol 70 Biozid Händedesinfektion Caelo HV

(Contd. of page 6)

- · Information on other hazards
- · Endocrine disrupting properties

On the basis of the available data, the substance does not meet the criteria for the identification of substances having properties of interference with the endocrine system, in accordance with Article 59, paragraph 1 of the REACH Regulation and the criteria established in the Delegated Regulation (EU) 2017 / 2100 of the Commission or in Commission Regulation (EU) 2018/605.

## 12 Ecological information

- · Toxicity
- Aquatic toxicity:

**CAS: 64-17-5 ethanol** 

LC50 14.200 mg/L (Fish)

EC50 275 mg/L (algae)

5,000 mg/L (invertebrates)

5,800 mg/L (Microorganism)

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

Based on the available data, the substance does not meet the criteria for the identification of substances with properties affecting the endocrine system according to Article 59(1) of the REACH Regulation and the criteria of the Commission Delegated Regulation (EU) 2017/2100 or in the Commission Regulation (EU) 2018/605.

The product does not contain substances with endocrine disrupting properties.

- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to local regulations.

### 14 Transport information

- · UN number or ID number
- · ADR, IMDG, IATA

UN1219

(Contd. on page 8)



Page 8/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025 Version number 1.00 Revision: 02.05.2025

Trade name: Isopropanol 70 Biozid Händedesinfektion Caelo HV

(Contd. of page 7)

· UN proper shipping name

• ADR 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) solution ISOPROPANOL (ISOPROPYL ALCOHOL) solution

· IATA Isopropanol (isopropyl alcohol) solution

· Transport hazard class(es)

· ADR, IMDG, IATA

· Class 3 Flammable liquids.

· Label

Packing group

· ADR, IMDG, IATA

• Environmental hazards: Not applicable.

• Special precautions for user Warning: Flammable liquids.

Hazard identification number (Kemler code): 33
 EMS Number: F-E,S-D

Maritime transport in bulk according to IMO

**instruments** Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)
 Transport category
 Tunnel restriction code

·IMDG

· Limited quantities (LQ) 1L

UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL)

SOLUTION, 3, II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations:
- Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany)

TRHS 510: 3 Flammable liquid

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- Reasons for alterations This version replaces all old versions.
- Relevant phrases

H225 Highly flammable liquid and vapour.

(Contd. on page 9)



Page 9/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025 Version number 1.00 Revision: 02.05.2025

### Trade name: Isopropanol 70 Biozid Händedesinfektion Caelo HV

(Contd. of page 8)

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3