

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Oleum Menthae pip.dopp.rectific., API
- **Article number:** G603
- **Registration number** The substance is exempt from REACH-registration.
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**
Ingredient for pharmaceutical drugs or active pharmaceutical ingredient.
- **Uses advised against** No relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
CAELO
Caesar & Loretz GmbH
Herderstr. 31
D-40721 Hilden
GERMANY
- **Further information obtainable from:**
E-mail: info@caelo.de
Tel.: +49210349940 (during regular opening hours)
- **Emergency telephone number:**
Poison Information Center Bonn
Venusberg-Campus 1, 53127 Bonn
Tel: +49 (0) 228-192400

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07



GHS09

- **Signal word** Warning

(Contd. on page 2)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

Trade name: Oleum Menthae pip.dopp.rectific., API

(Contd. of page 1)

Hazard statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P273 Avoid release to the environment.
- P280 Wear protective gloves.
- P280 Wear eye protection / face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards**Results of PBT and vPvB assessment**

- PBT:** Not applicable.
- vPvB:** Not applicable.
- Determination of endocrine-disrupting properties** Not applicable.

3 Composition/information on ingredients

Mixtures

- Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 2216-51-5	L-menthol	>25-50%
EINECS: 218-690-9	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 89-80-5	trans-p-Menthan-3-one	>25-50%
EINECS: 201-941-1	Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 2623-23-6	l-Menthyl acetate (1alpha,2beta,5alpha)	>5-10%
EINECS: 220-076-0	Aquatic Chronic 2, H411	
CAS: 138-86-3	dipentene	>2.5-5%
EINECS: 205-341-0	Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 470-82-6	eucalyptol	>2.5-5%
EINECS: 207-431-5	Flam. Liq. 3, H226; Skin Sens. 1, H317	
CAS: 491-07-6	d,l-Isomenthone	>2.5-5%
EINECS: 207-727-4	Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 494-90-6	4,5,6,7-Tetrahydro-3,6-dimethylbenzofuran	>2.5-5%
EINECS: 207-795-5	Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	

(Contd. on page 3)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

Trade name: Oleum Menthae pip.dopp.rectific., API

CAS: 89-82-7	Pulegone	(Contd. of page 2) >1-2.5%
EINECS: 201-943-2	Acute Tox. 4, H302	
CAS: 2216-52-6	(+)-Neomenthol	>1-2.5%
EINECS: 218-691-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 18172-67-3	l-.beta.-Pinene	>0.25-<1%
EINECS: 242-060-2	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 78-70-6	Linalool	>0.1-<1%
EINECS: 201-134-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 99-49-0	Carvone	>0.1-<1%
EINECS: 202-759-5	Skin Sens. 1, H317	
CAS: 7785-26-4	l-.alpha.-Pinene	>0.1-<0.25%
EINECS: 232-077-3	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	
· Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First aid measures

- **Description of first aid measures**
 - **General information:** Immediately remove any clothing soiled by the product.
 - **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
 - **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
 - **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 - **After swallowing:** If symptoms persist consult doctor.
 - **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.
-

5 Firefighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fire with alcohol resistant foam.
 - **For safety reasons unsuitable extinguishing agents:** Water with full jet
 - **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
 - **Advice for firefighters**
 - **Protective equipment:** In case of fire wear suitable protective clothes and respiratory protection.
 - **Additional information**
Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.
-

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.

(Contd. on page 4)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

Trade name: Oleum Menthae pip.dopp.rectific., API

(Contd. of page 3)

- **Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
 - **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Treat with 2 % sodium hydroxide solution.
 - **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
-

7 Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
 - **Information about fire - and explosion protection:** No special measures required.
 - **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
Tightly closed. Store at a dry place. At room temperature (+15°C to +25°C).
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Store receptacle in a well ventilated area.
 - **Storage class:** TRHS 510: 10 Combustible liquids
 - **Specific end use(s)** No further relevant information available.
-

8 Exposure controls/personal protection

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Dust protection mask.
- **Hand protection** Protective gloves
- **Material of gloves**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

Trade name: Oleum Menthae pip.dopp.rectific., API

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Colour:**

Colourless

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

-74 °C

· **Boiling point or initial boiling point and boiling range**

92 °C

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

0.8 Vol % (CAS: 2216-51-5 L-menthol)

· **Upper:**

7 Vol % (CAS: 2216-51-5 L-menthol)

· **Flash point:**

72 °C

· **Auto-ignition temperature:**

280 °C

· **Decomposition temperature:**

Not determined.

· **pH**

Not determined.

· **Viscosity:**

· **Kinematic viscosity**

Not determined.

· **Dynamic:**

Not determined.

· **Solubility**

· **water:**

Not miscible or difficult to mix.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Vapour pressure:**

Not determined.

· **Density and/or relative density**

· **Density at 20 °C:**

0.902 g/cm³

· **Relative density**

Not determined.

· **Vapour density**

Not determined.

· **Other information**

· **Appearance:**

· **Form:**

Fluid

· **Important information on protection of health and environment, and on safety.**

· **Ignition temperature:**

Product is not selfigniting.

· **Explosive properties:**

Product does not present an explosion hazard.

· **Solvent content:**

· **Organic solvents:**

>1.8–3.6 %

(Contd. on page 6)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

Trade name: Oleum Menthae pip.dopp.rectific., API

(Contd. of page 5)

· VOC (EC)	>1.81–3.62 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
	Void
· Flammable gases	Void
	Void
· Aerosols	Void
	Void
· Oxidising gases	Void
	Void
· Gases under pressure	Void
	Void
· Flammable liquids	Void
	Void
· Flammable solids	Void
	Void
· Self-reactive substances and mixtures	Void
	Void
· Pyrophoric liquids	Void
	Void
· Pyrophoric solids	Void
	Void
· Self-heating substances and mixtures	Void
	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
	Void
· Oxidising liquids	Void
	Void
· Oxidising solids	Void
	Void
· Organic peroxides	Void
	Void
· Corrosive to metals	Void
	Void
· Desensitised explosives	Void
	Void

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 7)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

Trade name: Oleum Menthae pip.dopp.rectific., API

(Contd. of page 6)

- **Conditions to avoid** No further relevant information available.
 - **Incompatible materials:** No further relevant information available.
 - **Hazardous decomposition products:** No dangerous decomposition products known.
-

11 Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral LD50 9,025–<19,397 mg/kg

CAS: 2216-51-5 L-menthol

Oral LD50 2,046–2,615 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

Inhalative LC50 5,289 mg/m³ /4h (rat)**CAS: 89-82-7 Pulegone**

Oral LD50 470 mg/kg (rat)

Dermal LD50 3,090 mg/kg (rabbit)

CAS: 78-70-6 Linalool

Oral LD50 2,790 mg/kg (rat)

Dermal LD50 5,610 mg/kg (rabbit)

CAS: 7785-26-4 l.-alpha.-Pinene

Oral LD50 3,700 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Information on other hazards**

- **Endocrine disrupting properties**

On the basis of the available data, the substance does not meet the criteria for the identification of substances having properties of interference with the endocrine system, in accordance with Article 59, paragraph 1 of the REACH Regulation and the criteria established in the Delegated Regulation (EU) 2017 / 2100 of the Commission or in Commission Regulation (EU) 2018/605.

(Contd. on page 8)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

Trade name: Oleum Menthae pip.dopp.rectific., API

(Contd. of page 7)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:**
 - CAS: 2216-51-5 L-menthol**
 - LC50 15.6 mg/L (Fish)
 - EC50 21.4 mg/L (algae)
 - 237 mg/L (Microorganism)
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Endocrine disrupting properties**

Based on the available data, the substance does not meet the criteria for the identification of substances with properties affecting the endocrine system according to Article 59(1) of the REACH Regulation and the criteria of the Commission Delegated Regulation (EU) 2017/2100 or in the Commission Regulation (EU) 2018/605.

The product does not contain substances with endocrine disrupting properties.
- **Other adverse effects**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to local regulations.

14 Transport information

- **UN number or ID number**
- **ADR, IMDG, IATA** UN3082
- **UN proper shipping name**
- **ADR** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, I-Menthyl acetate (1alpha,2beta,5alpha))
- **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, I-Menthyl acetate)

(Contd. on page 9)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

Trade name: Oleum Menthae pip.dopp.rectific., API

(Contd. of page 8)

	(1alpha,2beta,5alpha), 4,5,6,7-Tetrahydro-3,6-dimethylbenzofuran, l-.beta.-Pinene, alpha-PINENE), MARINE POLLUTANT
· IATA	Environmentally hazardous substance, liquid, n.o.s. (DIPENTENE, l-Menthyl acetate (1alpha,2beta,5alpha))
· Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· Packing group	
· ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Hazard identification number (Kemler code):	90
· EMS Number:	F-A,S-F
· Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
· Tunnel restriction code	-
· IMDG	
· Limited quantities (LQ)	5L
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, L-MENTHYL ACETATE (1ALPHA,2BETA,5ALPHA)), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.
- National regulations:
- Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany)
TRHS 510: 10 Combustible liquids
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.11.2025

Version number 3.00 (replaces version 2.00)

Revision: 06.11.2025

Trade name: Oleum Menthae pip.dopp.rectific., API

(Contd. of page 9)

16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

· **Reasons for alterations** This version replaces all old versions.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· **Version number of previous version:** 2.00

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2