



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 2.00

Revision: 25.04.2022

* 1 Identification of the substance/mixture and of the company/undertaking


- **Product identifier**
- **Trade name:** Aluminium acetate, alkaline, powdered
- **Article number:** 2066
- **CAS Number:**
142-03-0
- **EC number:**
205-518-2
- **Registration number** The substance is exempt from REACH-registration.
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** Ingredient for pharmaceutical drugs
- **Uses advised against** No relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
CAELO
Caesar & Loretz GmbH
Herderstr. 31
D-40721 Hilden
GERMANY
- **Further information obtainable from:**
E-mail: info@caelo.de
Tel.: +49210349940 (during regular opening hours)
- **Emergency telephone number:**
Poison Information Center Bonn
Venusberg-Campus 1, 53127 Bonn
Tel: +49 (0) 228-192400

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Eye Dam. 1 H318 Causes serious eye damage.
Aquatic Acute 1 H400 Very toxic to aquatic life.
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05



GHS09



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 2.00

Revision: 25.04.2022

Trade name: Aluminium acetate, alkaline, powdered

(Contd. of page 1)

Signal word Danger**Hazard statements**

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterisation: Substances**CAS No. Description**

142-03-0 bis(acetato-O)hydroxyaluminium

Identification number(s)**EC number:** 205-518-2**INCI-Name** ALUMINUM DIACETATE

4 First aid measures

Description of first aid measures**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Take off contaminated clothes and shoes, wash immediately with plenty of water and soap.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:** Do not induce vomiting; call for medical help immediately.**Information for doctor:****Most important symptoms and effects, both acute and delayed**

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

Extinguishing media**Suitable extinguishing agents:**

All regular extinguishing media can be used.

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 2.00

Revision: 25.04.2022

Trade name: Aluminium acetate, alkaline, powdered

(Contd. of page 2)

· Special hazards arising from the substance or mixture

not combustible

In case of fire, the following can be released:

smoke gases

acetic acid

· Advice for firefighters**· Protective equipment:** In case of fire wear suitable protective clothes and respiratory protection.**· Additional information**

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Avoid formation of dust.**· Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Take up dry. Clean up with water.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:**· Precautions for safe handling** Thorough dedusting.**· Information about fire - and explosion protection:** No special measures required.**· Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:**

Tightly closed. Store at a dry place. At room temperature (+15°C to +25°C).

· Information about storage in one common storage facility: Not required.**· Further information about storage conditions:** No further information**· Storage class:** TRHS 510: 8 B Non-combustible corrosive substances**· Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.**· Control parameters****· Ingredients with limit values that require monitoring at the workplace:** Not required.**· Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 2.00

Revision: 25.04.2022

Trade name: Aluminium acetate, alkaline, powdered

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Dust protection mask.

· **Protection of hands:** Protective gloves

· **Material of gloves**

Rubber gloves

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Colour: White

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Product is not flammable.

· **Ignition temperature:** 384 °C

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Not determined.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapour pressure:** Not applicable.

· **Density at 20 °C:** 1.43 g/cm³

· **Relative density** Not determined.

· **Vapour density** Not applicable.

· **Evaporation rate** Not applicable.

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 2.00

Revision: 25.04.2022

Trade name: Aluminium acetate, alkaline, powdered

(Contd. of page 4)

- **Solubility in / Miscibility with water at 20 °C:** 0.013 g/l
 - **Partition coefficient: n-octanol/water:** Not determined.
 - **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
 - **Other information** No further relevant information available.
-

10 Stability and reactivity

- **Reactivity** No further relevant information available.
 - **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
 - **Possibility of hazardous reactions** No dangerous reactions known.
 - **Conditions to avoid** No further relevant information available.
 - **Incompatible materials:** No further relevant information available.
 - **Hazardous decomposition products:** No dangerous decomposition products known.
-

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **LD/LC50 values relevant for classification:**
 - Oral LD50 2,000 mg/kg (rat)
 - **Primary irritant effect:**
 - **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
 - **Serious eye damage/irritation**
 - Causes serious eye damage.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **Additional toxicological information:**
 - **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.
-

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:**
 - LC50 >1.31 mg/L (Fish)
 - EC50 0.92 mg/L (Algae)
 - >0.86 mg/L (invertebrates)

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 2.00

Revision: 25.04.2022

Trade name: Aluminium acetate, alkaline, powdered

(Contd. of page 5)

900 mg/L (Microorganism)

- **Persistence and degradability** Easily biodegradable
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:**
 - Very toxic for fish
 - Toxic for fish
- **Additional ecological information:**
- **General notes:**
 - Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water
 - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 - Must not reach sewage water or drainage ditch undiluted or unneutralised.
 - Also poisonous for fish and plankton in water bodies.
 - Very toxic for aquatic organisms
 - Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
 - Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to local regulations.

* 14 Transport information

- | | |
|---|--|
| · UN-Number | Not subject to transport regulations. |
| · ADR, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · ADR, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · ADR, IMDG, IATA | not regulated |
| · Environmental hazards: | Environmentally hazardous substance, solid |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 2.00

Revision: 25.04.2022

Trade name: Aluminium acetate, alkaline, powdered

(Contd. of page 6)

* 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)** Not listed
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Not listed
- **National regulations:**
- **Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany)**
TRHS 510: 8 B Non-combustible corrosive substances
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- **Reasons for alterations** This version replaces all old versions.
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- *** Data compared to the previous version altered.**