

Page 1/9

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 02.05.2025

# 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Isopropanol 70 Biocide
- · Article number: 7844
- **Registration number** The substance is exempt from REACH-registration.
- · UFI: G1YD-K00J-600D-THRY
- · Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture Biocide Surface disinfectant
- · Uses advised against No relevant information available.

#### · Details of the supplier of the safety data sheet

- Manufacturer/Supplier: CAELO Caesar & Loretz GmbH Herderstr. 31 D-40721 Hilden GERMANY
- Further information obtainable from: E-mail: info@caelo.de Tel.: +49210349940 (during regular opening hours)
   Emergency telephone number: Poison Information Center Bonn Venusberg-Campus 1, 53127 Bonn
- Tel: +49 (0) 228-192400

# 2 Hazards identification

# $\cdot$ Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- Flam. Liq. 2 H225 Highly flammable liquid and vapour.
- Eye Irrit. 2 H319 Causes serious eye irritation.
- STOT SE 3 H336 May cause drowsiness or dizziness.
- · Label elements

### · Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms





Page 2/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 02.05.2025

#### Trade name: Isopropanol 70 Biocide

	(Contd. of page 1)		
· Signal word Danger			
<ul> <li>Hazard statements</li> </ul>			
H225 Highly flammable liq			
H319 Causes serious eye			
H336 May cause drowsine	ess or dizziness.		
<ul> <li>Precautionary statement</li> </ul>	S		
P101 If media	cal advice is needed, have product container or label at hand.		
P102 Keep o	ut of reach of children.		
P103 Read c	arefully and follow all instructions.		
	way from heat, hot surfaces, sparks, open flames and other ignition sources. No		
P241 Use ex	plosion-proof [electrical/ventilating/lighting] equipment.		
	SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with or shower].		
	YES: Rinse cautiously with water for several minutes. Remove contact lenses, if and easy to do. Continue rinsing.		
P405 Store lo	ocked up.		
P501 Dispos regulati	e of contents/container in accordance with local/regional/national/international		
• Other hazards			
• • • • • • • • • • • • • • • • • • • •	· Results of PBT and vPvB assessment		
· PBT: Not applicable.			
· vPvB: Not applicable.			
· Determination of endocrine-disrupting properties Not applicable.			
3 Composition/information on ingredients			
· Mixtures			

· Description: Mixture of substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 67-63-0 propan-2-ol

EINECS: 200-661-7 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336 Additional information: For the wording of the listed hazard phrases refer to section 16.

# 4 First aid measures

# $\cdot$ Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Bring the person out of the contaminated area to fresh air.

Call a doctor immediately.

# After skin contact:

Take off contaminated clothes and shoes, wash immediately with plenty of water and soap.

After eye contact:

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

 $\cdot$  After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

60-70%

<sup>—</sup> IE —



Page 3/9

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 5 Version number 3.00 (replaces version 2.00)

Revision: 02.05.2025

(Contd. of page 2)

### Trade name: Isopropanol 70 Biocide

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# 5 Firefighting measures

· Extinguishing media

Printing date 02.05.2025

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Combustible. Vapors are heavier than air and spread on the ground. Ignition possible over distance. In case of fire carbon monoxide can be released.

- Advice for firefighters
- · Protective equipment: In case of fire wear suitable protective clothes and respiratory protection.
- Additional information

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

### 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

# 7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- **Information about fire and explosion protection:** Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not together with flammable substances.
- Further information about storage conditions: Keep container tightly sealed.

Protect from heat and direct sunlight.

- Storage class: TRHS 510: 3 Flammable liquid
- Specific end use(s) No further relevant information available.



Page 4/9

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 02.05.2025

#### Trade name: Isopropanol 70 Biocide

(Contd. of page 3)

### 8 Exposure controls/personal protection

#### Control parameters

- Ingredients with limit values that require monitoring at the workplace:
   CAS: 67-63-0 propan-2-ol
- CAS: 67-63-0 propan-2-01
- OEL Short-term value: 400 ppm Long-term value: 200 ppm Sk
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- · Respiratory protection: Respiratory with filter.
- · Hand protection Protective gloves
- Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Liquid

Colourless

· Eye/face protection Tightly sealed goggles

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

- · General Information
- Physical state
- · Colour:
- · Odour:
- · Odour threshold:
- · Melting point/freezing point:
- · Boiling point or initial boiling point and boiling range
- · Flammability
- · Lower and upper explosion limit
- · Lower:
- · Upper:
- · Flash point:
- · Auto-ignition temperature:
- · Decomposition temperature:
- · pH

Alcohol-like Not determined. -89.5 °C

82 °C (CAS: 67-63-0 propan-2-ol) Not applicable.

2 Vol % (CAS: 67-63-0 propan-2-ol) 12 Vol % (CAS: 67-63-0 propan-2-ol) 12 °C (CAS: 67-63-0 propan-2-ol) 425 °C (CAS: 64-17-5 ethanol) Not determined. Not determined.



Page 5/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 02.05.2025

# Trade name: Isopropanol 70 Biocide

Viceocity	(Contd. of page 4	
· Viscosity: · Kinematic viscosity	Not determined.	
· Dynamic:	Not determined.	
· Solubility	Not determined.	
· water:	Fully miscible.	
Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure at 20 °C:	43 hPa (CAS: 67-63-0 propan-2-ol)	
<sup>•</sup> Density and/or relative density		
· Density at 20 °C:	0.7855 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
	Not determined.	
• Other information		
· Appearance:		
· Form:	Fluid	
Important information on protection of health		
and environment, and on safety.		
<ul> <li>Ignition temperature:</li> </ul>	Product is not selfigniting.	
· Explosive properties:	Product is not explosive. However, formation of	
	explosive air/vapour mixtures are possible.	
· Solvent content:		
· Organic solvents:	60–70 %	
· VOC (EC)	60–70 %	
· Change in condition		
· Evaporation rate	Not determined.	
Information with regard to physical hazard		
classes		
· Explosives	Void	
	Void	
· Flammable gases	Void	
	Void	
· Aerosols	Void	
	Void	
· Oxidising gases	Void	
	Void	
· Gases under pressure	Void	
	Void	
· Flammable liquids	Highly flammable liquid and vapour.	
	Void	
· Flammable solids	Void	
	Void	
· Self-reactive substances and mixtures	Void	
· · · · · · · · · · · · · · · · · · ·	Void	
· Pyrophoric liquids	Void	
· · · · · · · · · · · · · · · · · · ·	Void	
· Pyrophoric solids	Void	
	Void	
	(Contd. on page 6	



Page 6/9

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 02.05.2025

#### Trade name: Isopropanol 70 Biocide

		(Contd. of page 5)
Self-heating substances and mixtures	Void	
	Void	
<ul> <li>Substances and mixtures, which emit flam.</li> </ul>	mable	
gases in contact with water	Void	
-	Void	
· Oxidising liquids	Void	
	Void	
· Oxidising solids	Void	
Ū	Void	
· Organic peroxides	Void	
0	Void	
· Corrosive to metals	Void	
	Void	
· Desensitised explosives	Void	
•	Void	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions
- Reacts with oxidising agents.
- Reacts with strong acids.
- · Conditions to avoid No further relevant information available.
- $\cdot$  Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

### CAS: 64-17-5 ethanol

Oral LD50 7,060 mg/kg (rat)

Inhalative LC50 20,000 mg/m3 (rat)

- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/9

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 02.05.2025

#### Trade name: Isopropanol 70 Biocide

(Contd. of page 6)

# · Information on other hazards

Endocrine disrupting properties

On the basis of the available data, the substance does not meet the criteria for the identification of substances having properties of interference with the endocrine system, in accordance with Article 59, paragraph 1 of the REACH Regulation and the criteria established in the Delegated Regulation (EU) 2017 / 2100 of the Commission or in Commission Regulation (EU) 2018/605.

# 12 Ecological information

### · Toxicity

• Aquatic toxicity:

#### CAS: 64-17-5 ethanol

LC50 14,200 mg/L (Fish)

EC50 275 mg/L (algae)

5,000 mg/L (invertebrates)

5,800 mg/L (Microorganism)

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

Based on the available data, the substance does not meet the criteria for the identification of substances with properties affecting the endocrine system according to Article 59(1) of the REACH Regulation and the criteria of the Commission Delegated Regulation (EU) 2017/2100 or in the Commission Regulation (EU) 2018/605.

- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to local regulations.

### **14 Transport information**

- · UN number or ID number
- · ADR, IMDG, IATA

UN1219



Page 8/9

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 02.05.2025

#### Trade name: Isopropanol 70 Biocide

	(Contd. of page 7)
<ul> <li>UN proper shipping name</li> <li>ADR</li> <li>IMDG</li> <li>IATA</li> <li>Transport hazard class(es)</li> </ul>	1219 ISOPROPANOL (ISOPROPYL ALCOHOL) solution ISOPROPANOL (ISOPROPYL ALCOHOL) solution Isopropanol (isopropyl alcohol) solution
<ul> <li>ADR, IMDG, IATA</li> <li>Class</li> <li>Label</li> <li>Packing group</li> <li>ADR, IMDG, IATA</li> <li>Environmental hazards:</li> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Maritime transport in bulk according to IMO instruments</li> </ul>	3 Flammable liquids. 3 II Not applicable. Warning: Flammable liquids. 33 F-E,S-D Not applicable.
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	1L 2 D/E
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>UN "Model Regulation":</li> </ul>	1L UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) SOLUTION, 3, II

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations:

 Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany) TRHS 510: 3 Flammable liquid

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- Reasons for alterations This version replaces all old versions.
- · Relevant phrases

H225 Highly flammable liquid and vapour.



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Revision: 02.05.2025

Page 9/9

# Printing date 02.05.2025

Version number 3.00 (replaces version 2.00)

EVISION. 02.00.2020

#### Trade name: Isopropanol 70 Biocide

(Contd. of page 8) H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. • Date of previous version: 02.05.2025 · Version number of previous version: 2.00 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \*\* Data compared to the previous version altered. IE •