

Revision: 16.03.2023

Page 1/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023

Version number 3.00 (replaces version 2.00)

### 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Coal tar solution
- · Article number: q143
- Registration number The substance is exempt from REACH-registration.
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Ingredient for pharmaceutical drugs
- · Uses advised against No relevant information available.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

**CAELO** 

Caesar & Loretz GmbH

Herderstr. 31

D-40721 Hilden

**GERMANY** 

· Further information obtainable from:

E-mail: info@caelo.de

Tel.: +49210349940 (during regular opening hours)

**Emergency telephone number:** 

Poison Information Center Bonn Venusberg-Campus 1, 53127 Bonn

Tel: +49 (0) 228-192400

#### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Carc. 1A H350 May cause cancer.

- · Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02

· Signal word Danger

- · Hazard statements
- H225 Highly flammable liquid and vapour.

H350 May cause cancer.

(Contd. on page 2)



Page 2/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023 Version number 3.00 (replaces version 2.00) Revision: 16.03.2023

Trade name: Coal tar solution

(Contd. of page 1)

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Determination of endocrine-disrupting properties Not applicable.

### 3 Composition/information on ingredients

- Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 64-17-5 ethanol

EINECS: 200-578-6 Flam. Liq. 2, H225

CAS: 65996-89-6 Tar, coal, high-temp. >25-<50%

EINECS: 266-024-0 Carc. 1A, H350

CAS: 67-56-1 methanol <1%

EINECS: 200-659-6 Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3,

H331; STOT SE 1, H370

Specific concentration limits: STOT SE 1; H370: C ≥ 10 %

STOT SE 2; H371: 3 % ≤ C < 10 %

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

- Description of first aid measures
- After inhalation:

Supply fresh air.

Call a doctor immediately.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

>50%



Page 3/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023 Version number 3.00 (replaces version 2.00) Revision: 16.03.2023

Trade name: Coal tar solution

(Contd. of page 2)

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: In case of fire wear suitable protective clothes and respiratory protection.
- **Additional information**

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

In case of gas release or seepage into the ground inform responsible authorities.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Tightly closed.

- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: No further information
- · Storage class: TRHS 510: 6.1 C Combustible acutely toxic or chronic substances
- · Specific end use(s) No further relevant information available.

(Contd. on page 4)



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023 Version number 3.00 (replaces version 2.00) Revision: 16.03.2023

Trade name: Coal tar solution

(Contd. of page 3)

### 8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

**CAS: 64-17-5 ethanol** 

OEL Short-term value: 1000 ppm

CAS: 67-56-1 methanol

OEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm

Sk, IOELV

- · Additional information: The lists valid during the making were used as basis.
- Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- · Respiratory protection: Respiratory with filter.
- Hand protection Protective gloves
- Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Tightly sealed goggles
- Body protection: Protective work clothing

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Dark brown

Characteristic

Not determined.

Undetermined.

· Boiling point or initial boiling point and boiling

78 °C (CAS: 64-17-5 ethanol)

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: 3.5 Vol % (CAS: 64-17-5 ethanol)

(Contd. on page 5)



Page 5/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023 Version number 3.00 (replaces version 2.00) Revision: 16.03.2023

Trade name: Coal tar solution

(Contd. of page 4)

· **Upper:** 15 Vol % (CAS: 64-17-5 ethanol)

· Flash point: 21 °C

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 59 hPa (CAS: 64-17-5 ethanol)

Density and/or relative density

Density at 20 °C:
 Relative density
 Bulk density:
 Vapour density
 Not determined.
 Not determined.
 Not determined.

· Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

• **Explosive properties:** Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

Organic solvents: >51.0 %
 VOC (EC) >51.00 %
 Solids content: 0.0 %

· Change in condition

· Gases under pressure

• Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void Void
· Flammable gases Void Void
· Aerosols Void

Void Void

· Oxidising gases Void Void

Void Void

· Flammable liquids Highly flammable liquid and vapour.

Void

· Flammable solids Void

Void

(Contd. on page 6)



Page 6/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023 Version number 3.00 (replaces version 2.00) Revision: 16.03.2023

Trade name: Coal tar solution

		(Contd. of page 5)
· Self-reactive substances and mixtures	Void	, ,
	Void	
· Pyrophoric liquids	Void	
	Void	
· Pyrophoric solids	Void	
	Void	
· Self-heating substances and mixtures	Void	
	Void	
· Substances and mixtures, which emit flamn	nable	
gases in contact with water	Void	
	Void	
· Oxidising liquids	Void	
	Void	
· Oxidising solids	Void	
	Void	
· Organic peroxides	Void	
	Void	
· Corrosive to metals	Void	
	Void	
Desensitised explosives	Void	
	Void	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid High temperature.
- Incompatible materials:

strong oxidizing agents

Oxidizing agent

Hazardous decomposition products:

Carbon dioxide

Carbon monoxide

Poisonous gases/vapours

Sulphur oxides (SOx)

Nitrogen oxides (NOx)

Hydrocarbons

### 11 Toxicological information

- $\cdot$  Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

**CAS: 64-17-5 ethanol** 

Oral LD50 7,060 mg/kg (rat)

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023 Version number 3.00 (replaces version 2.00) Revision: 16.03.2023

Trade name: Coal tar solution

(Contd. of page 6)

Inhalative LC50 20,000 mg/m3 (rat)

CAS: 67-56-1 methanol

Oral LD50 5,628 mg/kg (rat)
Dermal LD50 15,800 mg/kg (rabbit)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity May cause cancer.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on other hazards
- · Endocrine disrupting properties

On the basis of the available data, the substance does not meet the criteria for the identification of substances having properties of interference with the endocrine system, in accordance with Article 59, paragraph 1 of the REACH Regulation and the criteria established in the Delegated Regulation (EU) 2017 / 2100 of the Commission or in Commission Regulation (EU) 2018/605.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

**CAS: 64-17-5 ethanol** 

LC50 14,200 mg/L (Fish)

EC50 275 mg/L (Algae)

5,000 mg/L (invertebrates)

5,800 mg/L (Microorganism)

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- **Endocrine disrupting properties**

Based on the available data, the substance does not meet the criteria for the identification of substances with properties affecting the endocrine system according to Article 59(1) of the REACH Regulation and the criteria of the Commission Delegated Regulation (EU) 2017/2100 or in the Commission Regulation (EU) 2018/605.

The product does not contain substances with endocrine disrupting properties.

- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023 Version number 3.00 (replaces version 2.00) Revision: 16.03.2023

Trade name: Coal tar solution

(Contd. of page 7)

Danger to drinking water if even extremely small quantities leak into the ground.

### 13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to local regulations.

### \* 14 Transport information

· UN number or ID number

· ADR, IMDG, IATA UN1993

· UN proper shipping name

· **ADR** 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL

ALCOHOL))

· IMDG FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL

ALCOHOL))

· IATA Flammable liquid, n.o.s. (ETHANOL)

· Transport hazard class(es)

· ADR, IMDG, IATA

· Class 3 Flammable liquids.

· Label 3

· Packing group

· ADR, IMDG, IATA

• Environmental hazards: Not applicable.

• Special precautions for user Warning: Flammable liquids.

· Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-E

· Maritime transport in bulk according to IMO

**instruments** Not applicable.

· Transport/Additional information:

ADR

Limited quantities (LQ)
Transport category
Tunnel restriction code
D/E

· IMDG

Limited quantities (LQ)

· UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL

(ETHYL ALCOHOL)), 3, II

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed

(Contd. on page 9)



Page 9/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.03.2023 Version number 3.00 (replaces version 2.00) Revision: 16.03.2023

Trade name: Coal tar solution

(Contd. of page 8)

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 69
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- · National regulations:
- Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany)

TRHS 510: 6.1 C Combustible acutely toxic or chronic substances

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- Reasons for alterations This version replaces all old versions.
- Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H350 May cause cancer.

H370 Causes damage to organs.

- Date of previous version: 16.03.2023
- · Version number of previous version: 2.00
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 3: Acute toxicity – Category 3

Carc. 1A: Carcinogenicity – Category 1A

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

\* Data compared to the previous version altered.