

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 2.00 Revision: 10.06.2022

* 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Oleum Aurantii dulcis "FLORIDA"
- · Article number: G417
- · Registration number The substance is exempt from UK REACH-registration.
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Ingredient for pharmaceutical drugs
- · Uses advised against No relevant information available.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

CAELO

Caesar & Loretz GmbH

Herderstr. 31 D-40721 Hilden

GERMANY

· Further information obtainable from:

E-mail: info@caelo.de

Tel.: +49210349940 (during regular opening hours)

Emergency telephone number:

Poison Information Center Bonn Venusberg-Campus 1, 53127 Bonn

Tel: +49 (0) 228-192400

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 2.00 Revision: 10.06.2022

Trade name: Oleum Aurantii dulcis "FLORIDA"

(Contd. of page 1)

· Signal word Danger

· Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- · CAS-No. 8028-48-6
- · **EC-No**. 232-433-8
- · INCI-Name CITRUS AURANTIUM DULCIS EXTRACT
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 138-86-3 >50-100%

EINECS: 205-341-0 Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410;

Skin Irrit. 2, H315; Skin Sens. 1, H317

CAS: 123-35-3 >1-<2.5%

EINECS: 204-622-5 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B,

H317

CAS: 7785-26-4 I-.alpha.-Pinene >0.25-<1%

EINECS: 232-077-3 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic

Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317

CAS: 78-70-6 >0.1-<1% Linalool

EINECS: 201-134-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 2.00 Revision: 10.06.2022

Trade name: Oleum Aurantii dulcis "FLORIDA"

| | | (Contd. of page 2) |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| CAS: 106-22-9 dl | I-Citronellol | >0.1-<1% |
| EINECS: 203-375-0 S | kin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | |
| | eraniol | >0.1-<1% |
| EINECS: 203-377-1 S | kin Sens. 1A, H317 | |
| CAS: 3387-41-5 th | nuj-4(10)-ene | >0.1-<1% |
| | lam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, I317 | |
| CAS: 5392-40-5 C | Citral Commence of the Commenc | >0.1-<1% |
| EINECS: 226-394-6 S | kin Irrit. 2, H315; Skin Sens. 1, H317 | |
| 0, 10, 10, 100, 100 | elta-3-Carene | >0.1-<0.25% |
| С | lam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H332; Skin Irrit. 2, H315; Skin Sens. 1, I317 | |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment: In case of fire wear suitable protective clothes and respiratory protection.
- **Additional information**

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 2.00 Revision: 10.06.2022

Trade name: Oleum Aurantii dulcis "FLORIDA"

(Contd. of page 3)

· Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Tightly closed. Store at a dry place. At room temperature (+15°C to +25°C).

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

- · Storage class: TRHS 510: 3 Flammable liquid
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 138-86-3 dipentene

MAK (Germany) vgl.Abschn.IIb

CAS: 106-24-1 geraniol

MAK (Germany) Dampf und Aerosol; vgl.Abschn.IV

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 2.00 Revision: 10.06.2022

Trade name: Oleum Aurantii dulcis "FLORIDA"

(Contd. of page 4)

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection: Respiratory with filter.
- · Protection of hands: Protective gloves
- Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Colour:
Odour:
Odour:
Characteristic
Not determined.

pH-value:
Not determined.

· Change in condition

Melting point/freezing point: -25 °C Initial boiling point and boiling range: 160 °C · Flash point: 53.4 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: 235 °C

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Explosion limits:

Lower: 0.7 Vol % (CAS: 138-86-3 dipentene) **Upper:** 6.1 Vol % (CAS: 138-86-3 dipentene)

Vapour pressure at 25 °C:
Density at 20 °C:
Relative density
Vapour density
Evaporation rate
1.8 hPa
0.847 g/cm³
Not determined.
Not determined.
Not determined.

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 2.00 Revision: 10.06.2022

Trade name: Oleum Aurantii dulcis "FLORIDA"

(Contd. of page 5)

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 92.0 %
Solids content: 0.0 %

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot \mbox{ Incompatible materials: } \mbox{No further relevant information available.}$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 7785-26-4 I-.alpha.-PineneOral LD50 3,700 mg/kg (rat)

CAS: 78-70-6 Linalool

Oral LD50 2,790 mg/kg (rat)
Dermal LD50 5,610 mg/kg (rabbit)

CAS: 106-22-9 dl-Citronellol

Oral LD50 3,450 mg/kg (rat)

Dermal LD50 2,650 mg/kg (rabbit) **CAS:** 5392-40-5 Citral

Oral LD50 4,960 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

May cause an allergic skin reaction.

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 2.00 Revision: 10.06.2022

Trade name: Oleum Aurantii dulcis "FLORIDA"

(Contd. of page 6)

- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to local regulations.

14 Transport information

- · UN-Number
- · ADR, IMDG, IATA

UN1993

· UN proper shipping name · ADR

1993 FLAMMABLE LIQUID, N.O.S. (DIPENTENE), ENVIRONMENTALLY HAZARDOUS

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 2.00 Revision: 10.06.2022

Trade name: Oleum Aurantii dulcis "FLORIDA"

(Contd. of page 7)

FLAMMABLE LIQUID, N.O.S. (DIPENTENE, Myrcene,

alpha-PINENE, delta-3-Carene), MARINE POLLUTANT

· IATA Flammable liquid, n.o.s. (DIPENTENE)

· Transport hazard class(es)

· ADR, IMDG, IATA

· Class 3 Flammable liquids.

·Label

· Packing group

ADR, IMDG, IATA

• **Environmental hazards:** Product contains environmentally hazardous substances:

dipentene

Marine pollutant:
 Special marking (ADR):
 Special precautions for user
 Symbol (fish and tree)
 Symbol (fish and tree)
 Warning: Flammable liquids.

· Hazard identification number (Kemler code): 30 · EMS Number: F-E,S-E

Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)
 Transport category
 Tunnel restriction code
 D/E

· IMDG

· Limited quantities (LQ) 5L

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany)

TRHS 510: 3 Flammable liquid

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- · Reasons for alterations This version replaces all old versions.
- Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.06.2022 Version number 2.00 Revision: 10.06.2022

Trade name: Oleum Aurantii dulcis "FLORIDA"

(Contd. of page 8)

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the previous version altered.

GB