

Page 1/9

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 2.00

Revision: 22.06.2022

# 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Oleum Juniperi e Ligno pro uso externo
- · Article number: G463
- · Registration number The substance is exempt from UK REACH-registration.
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Ingredient for pharmaceutical drugs
- · Uses advised against No relevant information available.
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: CAELO Caesar & Loretz GmbH Herderstr. 31 D-40721 Hilden GERMANY

 Further information obtainable from: E-mail: info@caelo.de Tel.: +49210349940 (during regular opening hours)
 Emergency telephone number: Poison Information Center Bonn Venusberg-Campus 1, 53127 Bonn

# 2 Hazards identification

Tel: +49 (0) 228-192400

# Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
- Flam. Liq. 3 H226 Flammable liquid and vapour.
- Acute Tox. 4 H302 Harmful if swallowed.
- Acute Tox. 4 H312 Harmful in contact with skin.
- Acute Tox. 4 H332 Harmful if inhaled.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
- Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Page 2/9

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 2.00

Revision: 22.06.2022

(Contd. of page 1)

# Trade name: Oleum Juniperi e Ligno pro uso externo



#### Signal word Danger

#### · Hazard statements

•	Hazard statement	S			
	H226	Flammable liquid and vapour.			
	H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.			
	H315	Causes skin irritation.			
	H319	Causes serious eye irritation.			
	H317	May cause an allergic skin reaction.			
	H304	May be fatal if swallowed and enters airways.			
	H411	Toxic to aquatic life with long lasting effects.			
•	Precautionary statements				
	P101	If medical advice is needed, have product container or label at hand.			
	P102	Keep out of reach of children.			
	P103	Read carefully and follow all instructions.			
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.			
	P321	Specific treatment (see on this label).			
		IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].			
		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
		Rinse mouth.			
		Take off contaminated clothing and wash it before reuse.			
		Store locked up.			
		Dispose of contents/container in accordance with local/regional/national/international			
		regulations.			
•	Other hazards				
•	Results of PBT and vPvB assessment				
	DRT. Net applicable				

- · PBT: Not applicable.
- vPvB: Not applicable.

# 3 Composition/information on ingredients

# **Chemical characterisation: Mixtures**

· Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 8006-64-2 Turpentine, oil 90.0% EINECS: 232-350-7 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317

(Contd. on page 3) GB



Printing date 22.06.2022

Version number 2.00

Revision: 22.06.2022

### Trade name: Oleum Juniperi e Ligno pro uso externo

CAS: 84603-69-0 Juniper berry oil

(Contd. of page 2) 10.0%

Page 3/9

EINECS: 283-268-3 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# 4 First aid measures

· Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Call for a doctor immediately.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: In case of fire wear suitable protective clothes and respiratory protection.
- Additional information

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Treat with 2 % sodium hydroxide solution.

(Contd. on page 4)



Printing date 22.06.2022

Version number 2.00

Revision: 22.06.2022

#### Trade name: Oleum Juniperi e Ligno pro uso externo

#### · Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- **Information about fire and explosion protection:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities
   Storage:
- · Requirements to be met by storerooms and receptacles:

Tightly closed. Store at a dry place. At room temperature (+15°C to +25°C).

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
- Storage class: TRHS 510: 3 Flammable liquid
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- CAS: 8006-64-2 Turpentine, oil

MAK (Germany) Long-term value: 28 mg/m<sup>3</sup>, 5 ppm

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- **Respiratory protection:** Respiratory protection or good ventilation of working place.
- Protection of hands: Protective gloves
- · Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. of page 3)

Page 4/9



Printing date 22.06.2022

Version number 2.00

Revision: 22.06.2022

Page 5/9

# Trade name: Oleum Juniperi e Ligno pro uso externo

(Contd. of page 4) The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material •

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Tightly sealed goggles

# 9 Physical and chemical properties

or nysical and chemical propertie	
<ul> <li>Information on basic physical and chere</li> <li>General Information</li> <li>Appearance:</li> </ul>	nical properties
Form: Colour: Odour: Odour:	Fluid Colourless Characteristic Not determined.
· pH-value:	Not determined.
<ul> <li>Change in condition</li> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling range</li> </ul>	-50 °C : 154–170 °C
· Flash point:	34 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	220 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
· Explosion limits: Lower: Upper:	0.8 Vol % (CAS: 8006-64-2 Turpentine, oil) 6 Vol % (CAS: 8006-64-2 Turpentine, oil)
· Vapour pressure at 20 °C:	5.4 hPa
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	0.856–0.872 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined. (Contd. on page 6)



Printing date 22.06.2022

Version number 2.00

Revision: 22.06.2022

### Trade name: Oleum Juniperi e Ligno pro uso externo

(Contd. of page 5)

Page 6/9

 Solvent content: Organic solvents: VOC (EC)

>90.4-<90.8 % >90.35-<90.75 %

· Other information

No further relevant information available.

# 10 Stability and reactivity

· Reactivity No further relevant information available.

#### · Chemical stability

- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:
- Oxidizing agent
- strong bases
- strong oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed, in contact with skin or if inhaled.

# LD/LC50 values relevant for classification:

#### **ATE (Acute Toxicity Estimates)**

Oral LD50 556 mg/kg

Dermal LD50 1,222 mg/kg

- Inhalative LC50 12.2 mg/m3
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

(Contd. on page 7)



Printing date 22.06.2022

Version number 2.00

Revision: 22.06.2022

#### Trade name: Oleum Juniperi e Ligno pro uso externo

(Contd. of page 6)

Page 7/9

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

### · Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to local regulations.

#### 14 Transport information

- · UN-Number UN1993 · ADR, IMDG, IATA · UN proper shipping name · ADR 1993 FLAMMABLE LIQUID, N.O.S. (TURPENTINE), ENVIRONMENTALLY HAZARDOUS ·IMDG FLAMMABLE LIQUID, N.O.S. (TURPENTINE, alpha-PINENE, Myrcene, DIPENTENE, p-mentha-1,3-diene, CYMENES, TERPINOLENE, I-.beta.-Pinene, camphene), MARINE POLLUTANT ·IATA Flammable liquid, n.o.s. (TURPENTINE) Transport hazard class(es) · ADR, IMDG, IATA · Class 3 Flammable liquids. · Label 3

(Contd. on page 8) GB



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 2.00

Revision: 22.06.2022

### Trade name: Oleum Juniperi e Ligno pro uso externo

	(Contd. of page 7)
Packing group	
· ADR, IMDG, IATA	
<ul> <li>Environmental hazards:</li> </ul>	Product contains environmentally hazardous substances:
	IalphaPinene
· Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code)	: 30
· EMS Number:	F-E,S-E
• Transport in bulk according to Annex II of	
Marpol and the IBC Code	Not applicable.
<ul> <li>Transport/Additional information:</li> </ul>	
· ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	D/E
·IMDG	
<ul> <li>Limited quantities (LQ)</li> </ul>	5L

# <sup>\*</sup>15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

- Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany) TRHS 510: 3 Flammable liquid
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- · Reasons for alterations This version replaces all old versions.
- Relevant phrases
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 9)



Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.06.2022

Version number 2.00

Revision: 22.06.2022

(Contd. of page 8)

#### Trade name: Oleum Juniperi e Ligno pro uso externo

 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 \* Data compared to the previous version altered. GB •