

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Isopropyl alcohol 70%
- · Article number: 7275
- · Registration number The substance is exempt from REACH-registration.
- Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture

Disinfectant Solvents

- · Uses advised against No relevant information available.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

CAELO

Caesar & Loretz GmbH Herderstr. 31 D-40721 Hilden GERMANY

· Further information obtainable from:

E-mail: info@caelo.de

Tel.: +49210349940 (during regular opening hours)

Emergency telephone number:

Poison Information Center Bonn Venusberg-Campus 1, 53127 Bonn

Tel: +49 (0) 228-192400

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Isopropyl alcohol 70%

(Contd. of page 1)

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 67-63-0 propan-2-ol 70.0%

EINECS: 200-661-7 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

· Non-hazardous components

CAS-No.: 7732-18-5 Water

EC-No.: 231-791-2

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Isopropyl alcohol 70%

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Combustible. Vapors are heavier than air and spread on the ground. Ignition possible over distance. In case of fire carbon monoxide can be released.

- · Advice for firefighters
- Protective equipment: In case of fire wear suitable protective clothes and respiratory protection.
- **Additional information**

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

· Storage class: TRHS 510: 3 Flammable liquid

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Isopropyl alcohol 70%

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

AGW (Germany) Long-term value: 500 mg/m³, 200 ppm

2(II); DFG, Y

Ingredients with biological limit values:

CAS: 67-63-0 propan-2-ol

BGW (Germany) 25 mg/l

Untersuchungsmaterial: Vollblut

Probennahmezeitpunkt: Expositionsende bzw. Schichtende

Parameter: Aceton

25 mg/l

Untersuchungsmaterial: Urin

Probennahmezeitpunkt: Expositionsende bzw. Schichtende

Parameter: Aceton

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Respiratory with filter.
- · Protection of hands: Protective gloves
- Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles
- · Body protection: Protective work clothing

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Isopropyl alcohol 70%

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:
Colour:
Colour:
Colourless
Alcohol-like
Odour threshold:
Not determined.

pH-value:
Not determined.

· Change in condition

Melting point/freezing point: -89.5 °C

Initial boiling point and boiling range: 82 °C (CAS: 67-63-0 propan-2-ol)

· Flash point: 18 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: 425 °C

· Decomposition temperature: Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Explosion limits:

Lower: 2 Vol % (CAS: 67-63-0 propan-2-ol) **Upper:** 12 Vol % (CAS: 67-63-0 propan-2-ol)

· Vapour pressure at 20 °C: 42 hPa

Density at 20 °C: 0.8495 g/cm³
Bulk density: 850 kg/m³
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

• Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 70.0 %

 Water:
 30.0 %

 VOC (EC)
 70.00 %

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Isopropyl alcohol 70%

(Contd. of page 5)

Solids content: 0.0 %

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

CAS: 67-63-0 propan-2-ol

Oral LD50 5,045 mg/kg (rat)
Dermal LD50 12,800 mg/kg (rabbit)

Inhalative LC50 30 mg/m3 (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- Aquatic toxicity:

CAS: 67-63-0 propan-2-ol

LC50 >100 mg/L //48h (fish: leuciscus idus)

EC50 >100 mg/kg //72h (Scenedesmus subspicatus)

>100 mg/kg //48h (Daphnia magna)

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Isopropyl alcohol 70%

(Contd. of page 6)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to local regulations.

14 Transport information

· UN-Number

· ADR, IMDG, IATA UN1219

· UN proper shipping name

• ADR
1219 ISOPROPANOL (ISOPROPYL ALCOHOL) solution
• IMDG
ISOPROPANOL (ISOPROPYL ALCOHOL) solution

· IATA Isopropanol (isopropyl alcohol) solution

· Transport hazard class(es)

· ADR, IMDG, IATA

· Class 3 Flammable liquids.

· Label 3

· Packing group

· ADR, IMDG, IATA

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids.

Hazard identification number (Kemler code): 33
 EMS Number: F-E,S-D

· Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 1L · Transport category 2

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Isopropyl alcohol 70%

· Tunnel restriction code	D/E	(Contd. of page 7)
· IMDG · Limited quantities (LQ)	1L	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations:
- · Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany) TRHS 510: 3 Flammable liquid
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- · Reasons for alterations This version replaces all old versions.
- · Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.