

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2023

Version number 2.00 (replaces version 1.00)

Revision: 08.03.2023

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: White mineral oil, petroleum
- · Article number: 7348
- · CAS Number:
- 8042-47-5
- · EC number:
- 232-455-8
- · Registration number The substance is exempt from REACH-registration.
- Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Ingredient for pharmaceutical drugs
- \cdot Uses advised against No relevant information available.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: CAELO Caesar & Loretz GmbH Herderstr. 31 D-40721 Hilden GERMANY
- Further information obtainable from:
 E-mail: info@caelo.de
 Tel.: +49210349940 (during regular opening hours)
- Emergency telephone number: Poison Information Center Bonn Venusberg-Campus 1, 53127 Bonn Tel: +49 (0) 228-192400

2 Hazards identification

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

- Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The substance is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger



according to 1907/2006/EC, Article 31

Printing date 08.03.2023

Version number 2.00 (replaces version 1.00)

Revision: 08.03.2023

Trade name: White mineral oil, petroleum

· Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

3 Composition/information on ingredients

- · Substances
- · CAS No. Description

CAS: 8042-47-5 White mineral oil, petroleum

- · Identification number(s)
- **EC number:** 232-455-8

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Take off contaminated clothes and shoes, wash immediately with plenty of water and soap.

- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Firefighting measures

· Extinguishing media

- · Suitable extinguishing agents:
- All regular extinguishing media can be used.
- Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: In case of fire wear suitable protective clothes and respiratory protection.
- Additional information

Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

(Contd. of page 1)

Page 2/7



according to 1907/2006/EC, Article 31

Printing date 08.03.2023

Version number 2.00 (replaces version 1.00)

Revision: 08.03.2023

Trade name: White mineral oil, petroleum

(Contd. of page 2)

Page 3/7

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Avoid contact with the substance.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

• **Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• Precautions for safe handling No special precautions are necessary if used correctly.
 • Information about fire - and explosion protection: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Tightly closed. Store at a dry place. At room temperature (+15°C to +25°C).
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep away from ignition souces.
- · Storage class: TRHS 510: 10 Combustible liquids
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection Not required.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

IF



Revision: 08.03.2023

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.03.2023

Version number 2.00 (replaces version 1.00)

Trade name: White mineral oil, petroleum

· Eye/face protection Goggles recommended during refilling

Information on basic physical and chemical pro General Information	perties	
Physical state	Fluid	
Colour:	Colourless	
Odour:		
Odour threshold:	Odourless Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling	Undetermined.	
•••••••••••••••••••••••••••••••••••••••	Undetermined.	
range Flammability		
-	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	112 °C	
Ignition temperature:	325–355 °C	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure at 20 °C:	0.1 hPa	
Density and/or relative density		
Density at 20 °C:	0.81–0.89 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Other information		
Appearance: Form:	Fluid	
	Fluid	
Important information on protection of health		
and environment, and on safety.		
Auto-ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard		
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Aerosois		
Oxidising gases	Void	

(Contd. of page 3)

Page 4/7



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2023

Version number 2.00 (replaces version 1.00)

Revision: 08.03.2023

Trade name: White mineral oil, petroleum

		(Contd. of page 4)
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamma	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: Cracking products

11 Toxicological information

- Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:
- Oral LD50 5,000 mg/kg (rat)
- Dermal LD50 2,000 mg/kg (rabbit)
- Inhalative LC50 5,000 mg/m3 /4h (rat)
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- · Information on other hazards
- Endocrine disrupting properties

On the basis of the available data, the substance does not meet the criteria for the identification of substances having properties of interference with the endocrine system, in accordance with Article 59, paragraph 1 of the REACH Regulation and the criteria established in the Delegated Regulation (EU) 2017 / 2100 of the Commission or in Commission Regulation (EU) 2018/605.

IF .



according to 1907/2006/EC, Article 31

Printing date 08.03.2023

Version number 2.00 (replaces version 1.00)

Revision: 08.03.2023

Trade name: White mineral oil, petroleum

(Contd. of page 5)

Page 6/7

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- ·vPvB: Not applicable.
- · Endocrine disrupting properties

Based on the available data, the substance does not meet the criteria for the identification of substances with properties affecting the endocrine system according to Article 59(1) of the REACH Regulation and the criteria of the Commission Delegated Regulation (EU) 2017/2100 or in the Commission Regulation (EU) 2018/605.

- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to local regulations.

14 Transport information · UN number or ID number Not subject to transport regulations. · ADR, IMDG, IATA not regulated · UN proper shipping name · ADR, IMDG, IATA not regulated Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class not regulated · Packing group · ADR, IMDG, IATA not regulated · Environmental hazards: Not applicable. Special precautions for user Not applicable. Maritime transport in bulk according to IMO instruments Not applicable. · UN "Model Regulation": not regulated



according to 1907/2006/EC, Article 31

Printing date 08.03.2023

Version number 2.00 (replaces version 1.00)

Revision: 08.03.2023

Trade name: White mineral oil, petroleum

(Contd. of page 6)

IE •

Page 7/7

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Not listed
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II Substance is not listed.

· National regulations:

- Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany) TRHS 510: 10 Combustible liquids
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

- · Reasons for alterations This version replaces all old versions.
- Date of previous version: 28.02.2023
- · Version number of previous version: 1.00
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

• * Data compared to the previous version altered.